Math 20, Midterm 3 October 30th

Name

(please print)

Instructions

- Please **print your name** in the blank space above.
- Please turn off cell phones or other electronic devices which may be disruptive.
- Calculators or other computing devices are not allowed.
- Except when indicated, you must show all work and give justification for your answer. A correct answer with incorrect work will be considered wrong.

All work on this exam should be completed in accordance with the Dartmouth Academic Honor Principle.

TIPS:

- Work cleanly and neatly; this makes it easier to give partial credit.
- Use scratch paper to figure out your answers and proofs before writing them on your exam.
- Please box your answers, when appropriate.
- You dont have numerically expand all answers. For example, you can leave an answer in the form $5! \cdot \binom{7}{2} \cdot \binom{10}{3}$, rather than 302400.
- Consider signing the FERPA waiver:

FERPA waiver: By my signature I relinquish my FERPA rights in the following context: This exam paper may be returned en masse with others in the class and I acknowledge that I understand my score may be visible to others. If I choose not to relinquish my FERPA rights, I understand that I will have to present my student ID at my instructors office to retrieve my examination paper. FERPA waiver signature:

Grader's use only:



Total: _____ /80

Normal distribution table



	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
01	0398	0438	0478	0517	0557	0596	0636	0675	0714	0753
0.2	0703	0832	0871	0010	0048	0087	1026	1064	1103	11/1
0.2	1170	1017	1055	1000	1001	10007	1406	1440	1400	1517
0.3	.11/9	1501	1600	1664	1700	1726	.1400	.1443	.1480	.1317
0.4	1015	1050	1020	.1004	.1700	.1/30	.1//2	.1000	.1044	.10/9
0.5	.1915	.1950	.1900	.2019	.2004	.2000	.2123	.2137	.2190	.2224
0.0	.2207	2611	.2324	.2337	.2309	.2422	.2404	.2400	.2017	.2049
0.7	2881	2011	2042	2073	2005	3023	2051	3078	2106	2122
0.0	3150	2186	2010	3038	3264	3280	3315	3340	3365	3380
10.5	3/13	3/38	3/61	3/85	3508	3531	3554	3577	3500	3621
1.0	3643	3665	3686	3708	3729	3749	3770	3790	3810	3830
1.1	3849	3869	3888	3907	3925	3944	3962	3980	3997	4015
1.2	4032	4049	4066	4082	4099	4115	4131	4147	4162	4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990
3.1	.4990	.4991	.4991	.4991	.4992	.4992	.4992	.4992	.4993	.4993
3.2	.4993	.4993	.4994	.4994	.4994	.4994	.4994	.4995	.4995	.4995
3.3	.4995	.4995	.4995	.4996	.4996	.4996	.4996	.4996	.4996	.4997
3.4	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4997	.4998
3.5	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998	.4998
3.6	.4998	.4998	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.7	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.8	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999	.4999
3.9	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000	.5000

3

Section 1: True or False

- 1. (14 points) Choose **True** or **False**. No justification is required for your answers. No partial credit will be awarded.
 - (a) The Poisson distribution is memoryless.

True

False

False

(b) The exponential distribution is memoryless.

True

(c) The probability density function of a random variable is the derivative of the cumulative distribution function.

True

False

(d) Let X_1, X_2, \ldots be a sequence of independent and identically distributed random variables with expected value μ and finite variance σ^2 . Write $S_n := \sum_{i=1}^n X_i$. We have that $\lim_{n \to +\infty} P\left(\frac{S_n}{n} = \mu\right) = 1$.

True

False

(e) Let X be the sum of n identically distributed Bernoulli trials. Then X is binomially distributed.

True

False

- (f) It is possible to define an uniform distribution over all \mathbb{R} .
 - True False
- (g) Suppose that X and Y are independent random variables, each with uniform distribution in [0, 1]. Then the event X < Y is independent of the event $X^2 + Y^2 < 1/4$.

True

False

Section 2: Fill in the blank

- 2. (21 points) No justification is required for your answers. There will be little or no partial credit.
 - (a) The county hospital is located at the center of a square whose sides are 3 miles wide. If an accident occurs within the square, then the hospital sends out an ambulance. The road network is rectangular, so the travel distance from the hospital, whose coordinates are (0,0), to the point (x,y) is |x| + |y|. Assume that an accident occurs at a point that is uniformly distributed in the square.

i. (5 pts) Find the expected value the travel distance of the ambulance.

ii. (6 pts) Find the variance of the travel distance of the ambulance.

(b) (5 pts) Let X be a random variable with mean 0 and variance 2. Find the smallest r such that you can guarantee that $P(|X| \ge r) \le \frac{1}{50}$.

(c) (5 pts) Let X and Y be exponentially distributed with parameters λ_1 and λ_2 . Let Z = X + Y. Find the expected value of Z.

Section 3: Free response

You must show all work to receive credit!

3. (15 pts)

(a) What does Chebyshev's inequality say?

(b) For a given ϵ find an example of a random variable for which Chebyshevs Inequality is an equality.

(c) Prove Chebyshev's inequality.

- 4. (10 pts) A fair coin is fairly tossed 10,000 times.
 - (a) Estimate the probability that it lands heads exactly 4950 times.

Answer:

(b) What is the approximate probability that coin lands heads fewer than 4975 times?

5. (20 pts) Suppose we are given a coin which has probability 2/3 of coming up heads when it is tossed. Let S_n be the number of heads in n independent tosses. What is the limit as $n \to +\infty$ each of the following probabilities?

(a)
$$P\left(S_n < \frac{2n}{3} + \sqrt{2n}\right).$$

(b)
$$P\left(\frac{2n}{3} - 2 < S_n < n\frac{2n}{3} + 2\right).$$



(c)
$$P\left(0.5 < \frac{S_n}{n} < 0.6\right).$$

Answer:

(d)
$$P(0.5 < \frac{S_n}{n} < 0.7).$$

extra page

extra page

extra page