## **Dartmouth College**

## Mathematics 81

This problem is part of the assignment due on Wednesday, 15 January.

- 1. Let  $\mathbb{Z}_{(p)}$  denote the ring  $\mathbb{Z}$  localized at the prime ideal  $p\mathbb{Z}$ , that is, if  $R = \mathbb{Z}$  and  $S = \mathbb{Z} \setminus p\mathbb{Z}$ , then  $\mathbb{Z}_{(p)} = S^{-1}R$ .
  - (a) Characterize  $\mathbb{Z}_{(p)}$  as a subset of  $\mathbb{Q}$ , that is

 $\mathbb{Z}_{(p)} = \{a/b \in \mathbb{Q} \mid \text{put your conditions here}\}\$ 

- (b) Characterize the unit group  $\mathbb{Z}_{(p)}^{\times}$ .
- (c) Show that every nonzero element of  $\mathbb{Z}_{(p)}$  can be written as  $p^{\nu}u$ , where  $\nu$  is a nonnegative integer, and  $u \in \mathbb{Z}_{(p)}^{\times}$ .
- (d) Characterize all the ideals of  $\mathbb{Z}_{(p)}$  (Hint: Show  $\mathbb{Z}_{(p)}$  is a PID). Conclude that  $\mathbb{Z}_{(p)}$  has a unique maximal ideal, which makes it an example of a *local ring*.
- (e) Show that  $\mathbb{Z}/p\mathbb{Z} \cong \mathbb{Z}_{(p)}/p\mathbb{Z}_{(p)}$ .